

Automated Dispensing Cabinets


AT-288TH01



Eliminate the hassle of searching for medicines and no need to move.



You can work continuously without having to wait. [Automated Dispensing Cabinets] also has a constant speed payout design. One of the features of Medications in the hands of pharmacy staff. While transporting the machine also transfers medicines to the next patient.



Prevents medication mistakes & Can be used even by beginners.


When the medicine is delivered to the dispensing trays of the carry unit, The monitor screen will display the amount of medication required. Check the number and fraction of sheets on the monitor as you work. No more double-checking prescriptions to make sure they were filled correctly.



Flexible, space saving support for both normal and emergency situation.




If medicine is urgently needed, stop the machine temporarily and wait for the next task, and manually pick the necessary medicines. Open the front door of the storage case unit. If you pull out the sliding table, you can pick and fill on the sliding table. It has been carefully designed to be easy to use in an emergency.



Medicine storage case

“Can store a lot of compatible with medicines in a variety of dosage forms & more convenience with options”

It is not limited to sheets, but also sheets and boxes. Compatible with medicines, eye drops, ointments, etc. In addition, the case can be stored by using partitions. It is also possible to store up to two types of medicines.



▼ Example of storage case



2 types of tablets



1 type of tube



1 type of tablet



1 type of capsule
1 type of eye drops



2 types of tablets,
1 type of capsule,
1 type of eye drops
1 type of tube

Specifications

Product Name	Automated Dispensing Cabinets	
Model	AT-288TH01 (Left dispensation)	AT-288TH01 (Right dispensation)
External Dimention	W 3600mm. X D 700mm. X H 1980 mm.	
Weight of machine	Approx. 956 Kg*	
Weight of storage case	Approx. 0.22 Kg**	
Power Supply	AC 220V±10V: 50Hz	
Power Consumption	MAX330VA(MAX320W)	
Input Device	Touch panel PC	
Display	10.1 inch color TFT liquid crystal/LED	
Number of storage case	288 Cases	
Dispensing Tray	5 Trays	
Operating Environment	Trmpurature range: 5-26°C, Humidity range: 20-80% (there should be no condensation)	
Option	[Carry Unit] Upper additionnal shelf	
	[Storage case]Case Partion, Fracction pocket, Name plate, Barcode seal	



THAI OLBA Healthcare Co., Ltd (Head office)

131, Innovation Cluster 1, INC1-114, Moo 9, Khlong Nueng,

Khlong Luang, Pathum Thani 12120 Thailand

Tel: 064-159-5249, 064-926-5526, 094-065-1409

E-mail: info@thaiolba.com